

PATENT ABSTRACTS OF JAPAN

(11)Publication number : 07-124231

(43)Date of publication of application : 16.05.1995

(51)Int.Cl.

A61J 3/10
B30B 11/08

(21)Application number : 05-273304

(71)Applicant : KYOWA HAKKO KOGYO CO LTD

(22)Date of filing : 01.11.1993

(72)Inventor : MORIMOTO KIYOSHI

WATANABE YASUSHI

SANADA YOSHIKA

MIWA SADAKAZU


SHODA TOMOAKI

(54) EXTERNALLY GLOSSING TABLET MACHINE

(57)Abstract:

PURPOSE: To enhance the quality of tablets by enabling a glosser to be evenly sprinkled over the desired portions of a tablet machine, such as upper and lower mallets and the inner peripheral surface of a mortar, etc.

CONSTITUTION: In this tablet machine, an upper mallet 3 escapes upwards of a mortar 2 at a stage before a processing position where the mortar 2 is filled with a compressive molding material, among the machining positions of the mortar 2 provided on the rotating table 1, and a sprinkling chamber 10 surrounding the area from the upper peripheral edge 20 of the mortar 2 to the lower end portion 3a of the upper mallet 3 located above the edge 20 is provided in a position where a lower mallet 4 is lowered inside the mortar 2. A glosser spray 11 for spraying a glosser K into the sprinkling chamber 10, and an air pulsating means 12 whereby air pulsating waves for diffusing inside the sprinkling chamber 10 the glosser K sprayed from the glosser spray 11 are supplied into the sprinkling chamber 10, are provided.



LEGAL STATUS

[Date of request for examination] 19.05.1995

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number] 2681601

[Date of registration] 08.08.1997

[Number of appeal against examiner's decision of rejection]

[Date of requesting appeal against examiner's decision of rejection]

[Date of extinction of right]

Copyright (C); 1998,2003 Japan Patent Office

[MENU](#) [SEARCH](#) [INDEX](#) [DETAIL](#) [JAPANESE](#)

1 / 1